

## References

1. Sublett Bobby J. *Extrusion blow moldable copolyesters*. Patent US 4 398 022, USA, 1983.
2. Sublett Bobby J. *Copolyester adhesives*. Patent US 4 419 507, USA, 1983.
3. Sturm Karl Gunter, Bruning Klaus. *Partially crystalline copolyesters useful as adhesives*. Patent US 4 094721, USA, 1978.
4. Witt W, Müller R and Deckwer W. New biodegradable polyester-copolymers from commodity chemicals with favorable use properties. *J. Environm. Polym. Degrad* 1995; 3: 215.
5. Witt W, Müller R and Deckwer W. Biodegradation behavior and material properties of aliphatic/aromatic polyesters of commercial importance. *J. Environm. Polym. Degrad.* 1997; 5: 81.
6. [http://worldaccount.bASF.com/wa/plasticsAP~en\\_GB/portal/show/common/plasticsportal\\_news/2011/11\\_139](http://worldaccount.bASF.com/wa/plasticsAP~en_GB/portal/show/common/plasticsportal_news/2011/11_139)
7. Faxue L, Xinjian X., Jianyong Y and Amin C. The morphological effects upon enzymatic degradation of poly(butylene succinate-co-butylene terephthalate)s (PBST). *Polym. Degrad. Stab.* 2007; 92: 1053.
8. Nagata M, Goto H, Sakai W and Tsutsumi N. Synthesis and enzymatic degradation of poly(tetramethylene succinate). *Polymer* 2000; 41: 4373.
9. Shi X Q, Aimi K, Ito H, Ando S and Kikutani T. Characterization on mixed-crystal structure of poly(butylene terephthalate/succinate/adipate) biodegradable copolymer fibres. *Polymer* 2005; 46, 751.
10. EP 0007445.
11. PL 217 537.
12. Dutkiewicz S, Wesołowski J, Chojnacki D and Ciechańska D. Method to produce biodegradable aliphatic-aromatic copolyesters with improved colour. *Fibres and Textiles in Eastern Europe* 2012; 20, 6B(96): 84-88.
13. Wojtczak M, Dutkiewicz S, Gałęski A and Piórkowska E. Structure and characterization of random aliphatic-aromatic copolyester. *Eur. Polym. J.* 2014; 55: 86.
14. Dutkiewicz S, Grochowska-Łapienis D, Młodzikowski Z and Fiszer T. *Badanie syntezy biodegradowalnych kopoliestrów otrzymywanych metodą polikondensacji w stopie*. Praca statutowa IBWCh, 2006.

15. Wojtczak M, Dutkiewicz S, Pietrzak Ł, Gałęski A and Piórkowska E. Nucleation and crystallization of random aliphatic-butylene terephthalate copolyester. *Eur. Polym. J.* 2015; 71: 303.
16. Schmack G, Tandler B, Vogel R, Haussler L, Blechschmidt D and Lindner R. Melt processing of a new biodegradable synthetic copolyester in high-speed spinning and spunbonding nonwoven processChemical. *Fibres International* 2003; 53, October, 14: 350.
17. Blechschmidt D and Geus HG. Biologically Degradable Spun-bonded Non-wovens for Technical Application. In: *42nd International Man-Made Fibres Congress*, Dornbirn, 17-18 September, 2003.
18. Twarowska-Schmidt K. Evaluation of the Suitability of Some Biodegradable polymers for the Forming of Fibres. *Fiber and Textiles in Eastern Europe* 2004; 12, No 2(46): 17.
19. Twarowska-Schmidt K and Ratajska M. Biodegradability of Non-Wovens Made of Aliphatic-Aromatic polyester. *Fiber and Textiles in Eastern Europe* 2005; 32, 1(49): 71-74.
20. Krucińska I. at. all Biodegradable Particle Filtering Half Masks for Respiratory Protection. *Fibres and Textiles in Eastern Europe* 2012; 20, 6B (96): 73-83.
21. Puchalski M, Krucińska I, Sulak K, et al. Influence of the calender temperature on the crystallization behaviors of PLA spun bonded non-woven fabrics. *Text Res J* 2013; 83: 1775–1785.